



## EMX INFLATABLE GAZEBOS

### Inflation & Deflation



LAY OUT



ACCESSORIES



INFLATION



SECURING



ENJOY

### Roof Installation

Initial attachment required on first use only.

1.



Lay the inflatable frame flat on the ground with zips facing upwards.

2.



Unroll roof and lay on top of the frame. Lining up the roof and frame zippers.

3.



Zip roof to frame (roof installation will only need to be done on first use).





Remove Inflatable Gazebo from Protective Cover.




Roll out the Inflatable Gazebo.



Lay the Inflatable Gazebo out flat & extend all legs.



Layout walls and awning. Confirm positioning and zip together.



Each leg on the Inflatable Gazebo has a valve. Ensure all valves are closed. Open one valve and connect pump to inflate.



Connect the pump to selected Inflation Valve and begin inflation.



During the inflation process, when legs become firm push up from underneath.



Ensure all legs are lined up and canopy is centered. Check frame is firm.



Connect pump to awning valve and inflate until awning is firm (do not over inflate).



Position awning support tube into the Velcro located at the leg hub. Insert the two fiberglass rods into position to tension awning.



Add a sand bag leg weight to each leg. Attach leg strap to bottom weight. Green guide ropes should be used in moderate to strong wind conditions.

### IMPORTANT NOTES:

- Check the wind and weather conditions before commencing construction.
- Ensure you have the correct ground fixings for your application.
- For safety reasons it is recommended that 2 persons set up any Inflatable Gazebo.
- Ensure area is free from any sharp objects & overhead objects.
- In high winds or storms the inflatable should be deflated and stowed away.
- Green guide ropes should be used in moderate to strong wind conditions.
- Do not touch the over pressure valve system.







1. Remove Stakes and Guide Ropes or detach Sand bags.




2. Ensure area is clear of people.  
Ensure area is dry and clean.  
Unscrew all valves and deflate gazebo.



3. Remove all air from the tubes.



4. Fold gazebo up neatly laying the Canopy and Legs on top of each other. Roll gazebo up.



5. Pack the dry and clean Inflatable Gazebo into Protective Cover.

### IMPORTANT NOTES:

- Check the wind and weather conditions before commencing construction.
- Ensure you have the correct ground fixings for your application.
- For safety reasons it is recommended that 2 persons set up any Inflatable Gazebo.
- Ensure area is free from any sharp objects & overhead objects.
- In high winds or storms the inflatable should be deflated and stowed away.
- Green guide ropes should be used in moderate to strong wind conditions.
- Do not touch the over pressure valve system.



## ENHANCE YOUR SET-UP WITH THESE ACCESSORIES:



Sand Bag Leg Weights  
(Set of 4)



High Volume Hand Pump




Mains Powered  
Electric Pump




12V Rechargeable Battery  
Pump and Compressor



Printed Flags



Concertina Tables



Rechargeable LED Strip Light  
& USB Charger



Tall Directors Chair